Certificate of analysis

Selank 10mg · purity 99.76%

Laboratory

Name	Cupel
Address	2599 Speakman Dr Mississauga, ON L5K 1B1
Web	cupel.ca
Email	help@cupel.ca

Report

Report number	CL-HE1X-049P-S
Status	Issued
Issue date	14 October 2026

Sample

Product as labelled	Selank 10mg
Submitted by	Lux Peptides
Sender's lot	LP-4735
Appearance	White Lyophilized Powder
Received	5 October 2026
Reported	14 October 2026



Results

Test	Result	Notes
Identity (LC-MS)	**Selank**	–
Purity (HPLC-UV)	**99.76%**	–
Net Content	**11.50 mg**	–
Endotoxin Replicate 1	**Pass**	Assay Sensitivity: <=0.05 EU/mL
Endotoxin Replicate 2	**Pass**	Assay Sensitivity: <=0.05 EU/mL

Methods

Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85>.

Analysed by

Timothy Ian Benedicto

Timothy Ian Benedicto
Medical Laboratory Technician

Reviewed and released by

Roxanne Manlapaz

Roxanne Manlapaz
Laboratory Technician


Verify

cupel.ca/verify · CL-HE1X-049P-S

SHA-256 of the report data (record.json, served at cupel.ca/r/CL-HE1X-049P-S/)

528408fa638d270d0ae62d53a72b0440712ac5e3f04e9896ea86d95cd767549e

Chromatogram



Mass spectrum

